

coconuts and khela from team members are busy in removing husk from nuts: making rope etc for carrying khela and nuts to their dwelings. Jarawa women are busy in boreast-feeding their small habiet. Henceforth, the researcher took measurements on 21 individuals in the first expedition under pilot project ie. 2 sept 1996 to 4 sept 1996. Similarly, 46 individuals were measured during second expedition i.e 3 oct 1996 to 5 oct 1996. Mr Enmei a Jarawa boy aged 15 yrs was admitted in G.B. Pant Hosiptal portblair for treatment of injury on is left; leg on 16 April 1996. Mr. Enmei if taken with team members in the second expedition i.e 3 oct 1996 to 5 oct 1996 to leave him with their parents. In hoth the expeditions, researcher took measurements on same individual, henceforth, data is presented for each contact expedition separately.

Pignet Index is Calculated to assess nutritional status of Jarawa tribal population. Results:

The population Composition of Jarawa tribal population shows that male and female individuals are found in all age coborts.(table-1). One individual aged 55 yrs is noticed in the 3 oct 1996 contact. The percentage of females in the fecund age group is high (32.65% and 33.33%), Compared to the males.

Researcher also found 5 new born babies below 1 yr in these expeditions. only one couple without children (slevile) is noticed in these expeditions. (Personal communication from Dr RaJa Singh Linguist CILL Mysore)