										V 8
		oriente propor		117	Reinforced cement concrete work in walls (any	7				
	-1				thickness), including attached pilasters, buttresses,	- 1			1.	
					plinth and string courses, fillets, columns, pillars, piers,					L.
				1.1	abutments, posts and struts, etc. upto floor five level	- 1			5 21	1-33
				11	excluding cost of centring, shuttering finishing and		1		120	
h e		1		11	reinforcement.				1	
The state of the s				11	1:1.5:3 (1 Cement : 1.5 coarse sand : 3 graded stone					
						Cum	8.400	14700.00	123480.00	
			#11 Parties and the control of the control of the	++	inh char 20 min to many					
		-		1	EXCEL SEASON SEA					
a grant destruction of print of the contract				5	Centring and shuttering including strutting, propping					
		1			etc. and removal of form for					
		-		(s )	Foundations, footings, bases of columns etc. for mass					
				.,	concrete.	Sqm	146.60	240,00	35184.00	
			A Special Section Control of the Con	11-	Concrete					
				b)	Walls (any thickness) including attached pilasters,					
				1 0	butteresses, plinth and string courses etc.	Sqm	106.00	350.00	37100.00	The second secon
				1	Dates about plants and othing country over	,				
				Q	Reinforcement for R.C.C. work including straightening,					
				0	cutting, bending, placing in position and binding all					
					complete .				27	
					Thermo-Mechanically Treated bars.	kg	1921.200	72.00	138326.40	
				1 1	Thermo-wechanicary freated bars.	- 16				
				111	12 mm cement plaster of mix :					
					1:4 (1 cement : 4 fine sand)	Sqm	44.00	270.00	11880.00	
				12					14	
3 T				12	mm dia every 0.5 Mtrs	Mtr	26.00	100.00	2600.00	
				-	nun dia every 0.5 ivius	14161	2000		948160.00	
						Ov	er all rebate @ 4	1 %	37926.40	
							Crain reduce &		910234.00	
				4-		r				
					(Rupees Nine Lakhs Ten Thousand Two Hundred Thirty	Four O	niy)			
					ABSTRACT:-					
i '		1		SIA	:- Approach road and removal slide earth;	from A	APWD Gues	t House to	Police	
				D-	rrack at Strait Island. MB No. 2408 Page No.	25 to	20			
					*** *** *** *** *** *** *** *** *** **	J. 20 10	0 23			
					reement No:-56/A/EE/CD-I/PB/09-10		,			
				1	Earth work in rough excavation, banking excavated				-	
					earth in layers not exceeding 20 cm in depth, breaking					
					clods watering, rolling each layer with 1/2 tonne roller or					*
	3 h.				wooden or steel rammers, and rolling every 3rd and					
					top-most layer with power roller of minimum 8 tonnes					
		B			and dressing up in embankments for roads, flood					
					banks, marginal banks and guide banks or filling up					
		1			ground depressions, lead upto 50 m and lift upto 1.5 m:					
					O TO THE PROPERTY OF THE PROPE					
					All kinds of soil	Cum	3677.21	410.00	1507656.10	
		I	and the same of th							
				1 2	Earth work in excavation over areas (exceeding 30cm in	1		E		
				2	Earth work in excavation over areas (exceeding 30cm in depth, 1.5m in width as well as 10 sqm on plan)					
				2	depth. 1.5m in width as well as 10 sqm on plan)					
				2	depth. 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m	1				
				2	depth. 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5m; disposed earth to be levelled and	1				
				2	depth. 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5m; disposed earth to be levelled and neatly dressed	1	0.00	350.00	0.00	
	I.			2	depth. 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5m; disposed earth to be levelled and		0.00	350.00	0.00 1507656.10	
				2	depth. 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5m; disposed earth to be levelled and neatly dressed  All kinds of soil		0.00	350.00		
					depth. 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5m; disposed earth to be levelled and neatly dressed  All kinds of soil	cum	0.00	350.00		
				3	depth. 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5m; disposed earth to be levelled and neatly dressed  All kinds of soil  Extra item No:-1  Clearing jungle including uprooting of rank vegetation,	cum	0.00	350.00		
	200 (25) (2001)				depth. 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5m; disposed earth to be levelled and neatly dressed  All kinds of soil  Extra item No:-1  Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth upto 30	cum	0.00			
	-204 (25)				depth. 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5m; disposed earth to be levelled and neatly dressed  All kinds of soil  Extra item No:-1  Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth upto 30cm measured at a height of 1 m above ground level and	cum		350.00	1507656.10	
					depth. 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5m; disposed earth to be levelled and neatly dressed  All kinds of soil  Extra item No:-1  Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth upto 30	cum	- 1,500 - 1,50			Page 10 c