

ABSTRACT OF COST-ORIGINAL ESTIMATE

A&N Island Branch Civil Division

EE/CD-I

Name of work: Construction of RCC wall cum Drain of 1.5 Mtr height for a length 35 mtr.

| ITEM | | | | - | | D 1 |
|-------|--|------|--------|--------|-------------|---------|
| NO. | SUB-HEADS AND ITEM OF WORK | Unit | Qty | Rate | Amount | Remarks |
| 1.1 | Earth work in excavation by mechanical means (Hydraulic | | | | | |
| | excavator)/ manual means over areas (exceeding 30cm in | | | | | |
| | depth. 1.5m in width as well as 10 sum on plan) including | | | | | |
| | Gisposal of excavated earth, lead upto 50m and lift upto | 1 | | | | |
| | 1.5m, disposed earth to be levelled and neatly dressed. | | | | | 2.6 |
| 1.1.1 | All kinds of soil | cum | 115.5 | 101.85 | 11763.675 | 2.6.1 |
| 1.2 | Earth work in excavation by mechanical means (Hydraulic | | | | | |
| | Excavator)/ manual means in foundation trenches or drains | | | | a sa Canada | |
| | (not exceeding 1.5 m in width or 10 sum on plan) including | | | | | |
| | dressing of sides and ramming of bottoms, lift upto 1.5 m, | | | | | |
| | including getting out the excavated soil and disposal of | | | | | |
| | surplus excavated soil as directed, within a lead of 50 m. | | | | | 2 |
| 1.2.1 | All kinds of soil | cum | 172.00 | 103.4 | 17784.8 | 2.8.1 |
| | Filling available excavated earth (excluding rock) in trenches, | | | | | |
| | plinth, sides of foundations etc. in layers not exceeding 20cm | | | | 1-1 | |
| | in depth, consolidating each deposited layer by ramming and | | | | | |
| | watering, lead up to 50 m and lift upto 1.5 m. | | | | | |
| 1.3 | | cum | 120.75 | 45.7 | 5518.275 | 2.25 |
| | Sub Total | | | | 35067.00 | |
| | SH 2 CONCRETE WORK | | | | | |
| 2.1 | Providing and laying in position cement concrete of specified | | | | | |
| | grade excluding the cost of centring and shuttering - All work | | | | | |
| | upto plinth level : | | | | | 4. |
| 2.1.1 | 1:3:6 (1 Cement : 3 coarse sand : 6 graded stone aggregate | | | | | |
| | 20 mm nominal size). | cum | 5.3 | 2791.1 | 14792.565 | 4.1.: |
| TI . | 1:4:8 (1 Cement : 4 coarse sand : 8 graded stone aggregate | | | | | |
| 2.1.2 | 40 mm nominal size). | cum | 10.15 | 2449 | 24857.35 | 4.1. |
| | Sub Total | | | | 39650.00 | |
| | SH 3 REFINFORCED CEMENT CONCRETE | | | | | |
| 3.1 | Providing and laying in position specified grade of reinforced | | | | | |
| | cement concrete excluding the cost of centring, shuttering, | | | | | |
| | finishing and reinforcement - All work upto plinth level: | | | | | |
| | | | | | | 5. |
| 3.1.1 | 1:11/2:3 (1 cement : 11/2 coarse sand : 3 graded stone aggregate | : | | | | |
| | 20 mm nominal size) | cum | 36.00 | 3732 | 134352 | 5.1. |
| 3.2 | Reinforced cement concrete work in walls (any thickness), | | | | | |
| | including attached pilasters, buttresses, plinth and string | | | | | |
| | courses, fillets, columns, pillars, piers, abutments, posts and | | | | | |
| | struts etc. upto floor five level excluding cost of centring, | | | | | |
| | shuttering, finishing and reinforcement: | | | | | 5. |