1 1	13.62.1	Two or more coats on new work over an under coat of suitable shade							
		with ordinary paint of approved brand and manufacture.							
4	7								
		D1	2	1	1,	2.3	2.6	10.92	
		W1	2	1	1.2	1.2	1.	2.88	10
								13.8	
							Say	13.8	Sqm
34	13.44	Finishing walls with water proofing cement paint of required shade:							
	13.44.1	New work (Two or more coats applied @ 3.84 kg/10 sum).						<u> </u>	
		staging column		4	0.3	3		3.60	
		Slab	1	2	2.3	2.3		10.58	
-		50	1	2	2.3	2.5	·	11.50	
		D1	1	1.	0.9	2.1		-1.89	
								23.8	_
	18.46	Providing and fixing G.I. Union in G.I. pipe including cutting and					Say	23.8	Sqm
7/2	1.	threading the pipe and making long screws etc. complete (New work)							
		15 mm nominal bore							†
			1	4	2			8.00	
								8.0	
							Say	8.0	Each
	18.46.3	25 mm nominal bore							
			1	4	1			4.00	
		3						4.0	
							Say	4.0	Each
	18.46.5	40mm nominal bore	1	3	1		(* a * a	3.00	
				<u> </u>				3.0	
							Say	3.0	Each
36	18.48	Providing and placing on terrace (at all floor levels) polyethylene		1					1
		water storage rank ISI: 12701 marked with cover and suitable locking							
		arrangement and making necessary holes for inlet outlet and							
		overflow pipes but without fittings and the base support for tank							
			1	1	2000			2000.00	
				<u> </u>				2000.0	
37	A 10			<u> </u>			Say	2000.0	Litres
7	MR	Supplying. Instalation, testing and Commissioning of mono block water Pump with diesel engine 3.5 HP engine, pump suction-65mm and delivery-25mm-2Nos. in a position of Kirlosker or equivalent make complete.							
····				ļ		ļ			<u> </u>
38	22.9	Describing and laring and		ļ	ļ			1	Job
	4.4.7	Providing and laying six courses water proofing treatment with							
The state of the s		bitumen felt over roofs consisting of first, third and fifth course of blown bitumen 85/25 or 90/15 conforming to IS: 702							
		applied hot @ 1.45, 1.20 and 1.45 Kg per square metre of area							
		respectively, second and fourth courses of roofing felt type 3							
		grade I conforming to IS: 1322 (Hessian based self finished							
		bitumen felt) conforming to IS: 1322 (riessian based sen misned							
		of stone grit 6 mm and down size or pea sized gravel spread							
		at 6 cubic dm per sum including preparation of surface but							
		excluding grading, complete.							
		Roof Top	1	1	1 1 2	0.7		35.65	
		Nooi Top	1	1 1	4.3	8.3 2		35.69	
1							1	1 7 00	1 .
)			T.				4.00	
)			1			Say	39.7 39.7	Sgm