

(16/1) 185

1	2	3	4	5	6	7	8
9	Aug.of DG capacity at Teressa Island by 3x128 KW DG Sets.	21.00	a.Purchase of T&P, fire fighting & pollution control equipments.	1.70	a.Scheme under scrutiny.	15.30	
10	Aug.of DG capacity at Chowra Island by 3x128 KW DG Sets.	21.00	a.C/o Water Harvesting Struct.	1.10	----	14.40	Scheme yet to be sanct.by CEA, New Delhi.
			b.Purchase of equipments.		----		
11	Aug.of DG capacity at Katchal Island by 3x1000.	22.50	a.C/o PH.bldg.& purchase of equipments.	1.45	----	19.20	Revised scheme report submitted to CEA for TEC.
12	Aug.of DG capacity at Kamorta by 3x320 KVA DG Sets.	40.00	a.C/o Water Harvesting Struct.	1.65	a.Work compltd.in respect of PH bldg. & staff qtrs.	33.75	----
			b.C/o industrial barracks.				
			c.Estt.of Temporary PH. at Munak & Ramjav.				
13	Estt.of DG Power House at Pilomilo.	4.50	a.C/o PH.bldg. & other bldg.	0.40	----	3.00	Scheme yet to be sanct.by CEA.
14	Estt.of 2x24 DG PH at Kondul Island.	5.00	a.Purchase of motorised dinghi.	0.60	a.Scheme yet to be sanctioned by CEA.	3.35	----
			b.Purchase of fire fighting equipments.				
15	Aug.of DG capacity at Car Nicobar by 1x800 KW.	41.00	a.Purchase of fire fighting equipments.	2.80	-do-	34.40	----
16	Aug.of DG capacity at Great Nicobar by 1x800 KW.	8.00	a.C/o of Pilobhabi PH.	2.65	-do-	23.10	----
			b.C/o retaining wall for 203 KL.				
			c.C/o of Water Harvesting Struct.				
17	Aug.of DG capacity at Champion Island by 2x128 KW DG Sets.	1.00	a.C/o Water Harvesting Struct.	----	-do-	----	----
Total (POWER)		384.875		19.68		227.05	

N.R.S.E. SCHEME :-

1	2	3	4	5	6	7	8
1	Setting up of a seperate Deptt. for NRSE Schemes.	13.75	a.C/o office bldg.for SE/EE/AE sub-division office.	1.73	a.Land allotment at Mayabunder under process.	9.06	----
			b.Purchase of 1 Jeep & 1 Van.		b.Proposal submitted to the Admn.		
			c.Development of Energy park at NRSE, Navodaya Vidyalaya, Polytechnic.		c.Under process.		
			d.C/o Water Harvesting Struct.		d.Under process.		